



www.tntlife.in



Your Care In Safe Hands

Aclovay SR 200

20 x 10 Tabs (Alu-Alu)




Each tablet contains:
Aceclofenac I.P. 200 mg.
(Sustained Release)

Indications:
Arthritis, Lower Back Pain And Post-Episiotomy Pain.

Aclovay PS 10

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Aceclofenac I.P. 100 mg.
Paracetamol I.P. 325 mg.
Serratiopeptidase I.P. 10 mg.

Indications:
Inflammatory/traumatic Swellings,
Post Surgical Swelling, Arthritis,
Ankylosing Spondylitis

Aclovay PS 15

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Aceclofenac I.P. 100 mg.
Paracetamol I.P. 325 mg.
Serratiopeptidase I.P. 15 mg.

Indications:
Inflammatory/traumatic Swellings,
Post Surgical Swelling, Arthritis,
Ankylosing Spondylitis

Aclovay TR

20 x 10 Tabs (Alu-Alu)




Each tablet contains:
Thiocolchicoside I.P. 4 mg.
Aceclofenac I.P. 100 mg.

Indications:
Inflammatory/traumatic Swellings,
Post Surgical Swelling, Arthritis,
Ankylosing Spondylitis

Aclovay MR

20 x 10 Tabs (Blister)



Each tablet contains:
Aceclofenac I.P. 100 mg.
Paracetamol I.P. 325 mg.
Chlorzoxazone USP 250 mg.

Indications:
Musculo-skeletal Spasm, Lower
Back Pain, Shoulder Pain,
Sports Injuries

Aclovay P

20 x 10 Tabs (Blister)



Each tablet contains:
Aceclofenac I.P. 100 mg.
Paracetamol I.P. 325 mg.

Indications:
Arthritis, Lower Back Pain, Post-
Episiotomy Pain And
Ankylosing Spondylitis.

Amopi

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Amlodipine Besilate I.P. 5 mg.

Indications:
Mild To Moderate Hypertension.

Amopi AT

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Amlodipine Besilate I.P. 5 mg.
Atenolol I.P. 50 mg.

Indications:
Mild To Moderate Hypertension.

TABLETS

Ciften 250

20 x 10 Tabs (Blister)



Each tablet contains:
Ciprofloxacin
Hydrochloride I.P. 250 mg.

Indications:
Lrti/urti, Std's,
Post Surgical Prophylaxis,
Nosocomial Infections

Ciften 500

20 x 10 Tabs (Blister)



Each tablet contains:
Ciprofloxacin
Hydrochloride I.P. 500 mg.

Indications:
Lrti/urti, Std's,
Post Surgical Prophylaxis,
Nosocomial Infections

Ciften TZ

20 x 10 Tabs (Blister)




Each tablet contains:
Ciprofloxacin HCL I.P. 500 mg.
Tinidazole I.P. 600 mg.

Indications:
Acute Diarrhoea Or Dysentery Due To
Bacterial Protozoal Or Mixed Infections

Actispas

10 x 3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Drotaverine HCL 80 mg.
Mefenamic Acid I.P. 250 mg.

Indications:
Used To Treat Pain Caused By Smooth
Muscle Spasms, Treatment Of Renal
Colic, Biliary Colic, dysmenorrhea
And Postsurgical Uterine Spasm

Ollo 200

20 x 10 Tabs (Blister)



Each tablet contains:
Ofloxacin I.P. 200 mg.

Indications:
Community Acquired Pneumonia,
Uncomplicated Skin & Skin Structure Infections,
Uncomplicated Urethral & Cervical Infections,
Gonorrhea, Mixed Infections Of The
Urethra & Cervix

Ollo OZ

20 x 10 Tabs (Blister)



Each tablet contains:
Ofloxacin I.P. 200 mg.
Ornidazole I.P. 500 mg.

Indications:
Git Infections Acute Diarrhoea Of Mixed
Origin, Gynaecological Infections,
Dental Infections.

Pantovay

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Pantoprazole Sodium I.P. 40 mg.

Indications:
Gerd, Nsaid Related Ulcers, Peptic
Ulcer Bleeding, Zollinger Ellison Syndrome

Pantovay D

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Pantoprazole Sodium I.P. 40 mg.
Domperidone B.P. 10 mg.

Indications:
Duodenal Or Benign Gastric Ulcers,
Acid Reflux Disease, Reflux Esophagitis,
Dyspepsia And Bloating

Poena 200 DT

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime I.P. 200 mg.

Indications:
Nosocomial Infections, Respiratory Tract Infections, Urinary Tract Infections, Gonococcal Infections

Poena 100 DT

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime I.P. 100 mg.

Indications:
Upper Respiratory Tract Infections (urti), Lower Respiratory Tract Infection, Urinary Tract Infection

Poena O

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime I.P. 200 mg.
Ofloxacin I.P. 200 mg.

Indications:
Pneumonia, Gastrointestinal Infections, Respiratory, Bronchitis.

Poena CV

3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime I.P. 200 mg.
Potassium Clavulanate I.P. 125 mg.

Indications:
Meningitis, Septicaemia, Nosocomial Infections, Mdr Thyroid Fever

Roxtil 200

3 x 10 Tabs (Alu-Alu)




Each tablet contains:
Cefpodoxime Proxetil I.P. 200 mg.

Indications:
Rti, Uti, Skin And Skin Structure Infections.

Roxtil CV

3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefpodoxime Proxetil I.P. 200 mg.
Potassium Clavulanate I.P. 125 mg.

Indications:
For Treatment Of Rti, Uti, Uncomplicated Skin Infections.

Roxtil AZ

3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefpodoxime Proxetil I.P. 200 mg.
Azithromycin 250 mg.

Indications:
Rti, Uti, Skin And Skin Structure Infections.

Roxtil LV

3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefpodoxime Proxetil I.P. 200 mg.
Levofloxacin 250 mg.

Indications:
For Treatment Of Rti, Uti, Uncomplicated Skin Infections.

TABLETS



Telmi 40

10 x 3 x 10 Tabs (Alu-Alu)

Each tablet contains:
Telmisartan I.P. 40 mg.

Indications:
Hypertension, Cardiovascular
Prevents Cardiovascular Diseases, Coronary
Heart Disease, Stroke Or Peripheral Arterial
Disease, Type-2 Diabetes Mellitus



Telmi 40A

10 x 3 x 10 Tabs (Alu-Alu)

Each tablet contains:
Telmisartan I.P. 40 mg.
Amlodipine 5 mg.

Indications:
Hypertension, Cardiovascular
Prevents Cardiovascular Diseases, Coronary
Heart Disease, Stroke Or Peripheral Arterial
Disease, Type-2 Diabetes Mellitus



Telmi 40H

10 x 3 x 10 Tabs (Alu-Alu)

Each tablet contains:
Telmisartan I.P. 40 mg.
Hydrochlorothiazide 5 mg.

Indications:
Treatment Of Essential Hypertension.



T-Moxy 625

10 x 10 Tabs (Alu-Alu)

Each tablet contains:
Amoxicillin Trihydrate I.P. 500 mg.
Potassium Clavulanate I.P. 125 mg.

Indications:
Upper & Lower Rti, Sinusitis,
Accute Otitis Media, Surgical
Prophylaxis



Tepra

20 x 10 Tabs (Alu-Alu)

Each tablet contains:
Rabeprazole Sodium I.P. 20 mg.

Indications:
Gerd, Nsaid Releated Ulcers,
Peptic Ulcer Bleeding, Zollinger Ellison
Syndrome



Tepra D

20 x 10 Tabs (Alu Alu)

Each tablet contains:
Rabeprazole Sodium I.P. 20 mg.
Domperidone I.P. 30 mg.

Indications:
Duodenal Or Benign Gastric Ulcers Acid,
Reflux Disease, Reflux Esophagitis,
Dyspepsia And Bloating.

DIRIN PLUS



Each tablet contains:
Glucosamine Sulphate Potassium Chloride U.S.P. 750 mg.
Potassium Chloride I.P. 50 mg.
Diacerin I.P. 50 mg.
Methyl Sulphonyl Methane 250 mg.

3 x 10 Tablets

BREAK OFF
Pain & Inflammation
in Chronic arthritic Condition





TABLETS

T-GM1

20 x 10 Tabs (Blister)



Each bilayer tablet contains:
Metformin HCL I.P. 500 mg.
Glimepiride I.P. 1 mg.

Indications:
Type 2 Diabetes Mellitus.

T-GM2

20 x 10 Tabs (Blister)



Each bilayer tablet contains:
Metformin HCL I.P. 500 mg.
Glimepiride I.P. 2 mg.

Indications:
Type 2 Diabetes Mellitus.

T-GM1 ER

20 x 10 Tabs (Blister)



Each tablet contains:
Metformin HCL I.P. 500 mg.
(As sustained release form)
Glimepiride I.P. 1 mg.

Indications:
Type 2 Diabetes Mellitus.

T-GM2 ER

20 x 10 Tabs (Blister)



Each tablet contains:
Metformin HCL I.P. 500 mg.
(As sustained release form)
Glimepiride I.P. 2 mg.

Indications:
Type 2 Diabetes Mellitus.

GVM 1

20 x 10 Tabs (Blister)



Each tablet contains:
Glimepiride I.P. 1 mg.
Voglibose 0.2 mg.
Metformin HCL I.P. 500 mg.

Indications:
Type 2 Diabetes Mellitus.

GVM 2



20 x 10 Tabs (Blister)



Each tablet contains:
Glimepiride I.P. 2 mg.
Voglibose 0.2 mg.
Metformin HCL I.P. 500 mg.

Indications:
Type 2 Diabetes Mellitus.

Best Care
in Type-2
Diabetes



10 x 10 Tabs (Alu-Alu)



VOGLO 0.2/0.3

Mouth Dissolving

TABLETS

Cytil 500

10 x 10 Tabs (Alu-Alu)




Each tablet contains:
Citicoline Sodium I.P. 500 mg.

Indications:
For Treatment Of Acute Stroke.

Coless 300

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Ursodeoxycholic Acid I.P. 300 mg.

Indications:
For Jaundice, Acute Liver Damage.

T-Met SR

20 x 10 Tabs (Blister)




Each tablet contains:
Metformin Hydrochloride I.P. 500 mg.

Indications:
Type 2 Diabetes Mellitus.

Monate

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Doxylamine Succinate B.P. 10 mg.
Pyridoxine Hydrochloride I.P. 10 mg.
Folic Acid I.P. 2.5 mg.

Indications:
Management Of Nausea And Vomiting Of
Pregnancy Or Morning Sickness.

Fexot 120

10 x 1 x 10 Tabs (Blister)



Each tablet contains:
Fexofenadine Hydrochloride I.P. 120 mg.

Indications:
Relief Of Symptoms Associated With
Seasonal Allergic Rhinitis, Chronic
Idiopathic Urticaria

Fexot-M

10 x 10 Tablets (Alu-Alu)



Each tablet contains:
Fexofenadine Hydrochloride I.P. 120 mg.
Montelukast I.P. 10 mg.

Indications:
Allergic Asthma, Perennial Allergic
Rhinitis, Seasonal Allergic Rhinitis, Nasal Allergy
With Congestion, Chronic Idiopathic Urticaria And
Acute Allergic Reaction Due To Drugs, Food And
Insect Bite

Otoxil 500

3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefuroxime Axetil I.P. 500 mg.

Indications:
Rti, Uti, Skin And Skin Structure Infections,
Post Surgical Infections.

Oxila 500

20 x 10 Tabs (Blister)



Each tablet contains:
Levofloxacin Hemihydrate I.P. 500 mg.

Indications:
Community-acquired Pneumonia,
Uncomplicated Skin And Skin Structure
Infections, Uncomplicated And
Complicated Urinary Tract Infections

Serex

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Levocetirizine Hydrochloride I.P. 5 mg.

Indications:
Hay Fever, Allergic Rhinitis
Such As Sneezing, Rhinorrhoea, Itching,
Nasal, Congestion And Lacrimation.

Serex M

10 x 10 Tabs (Blister)



Each bilayer tablet contains:
Levocetirizine Hydrochloride I.P. 5 mg.
Montelukast I.P. 10 mg.

Indications:
Allergic Respiratory Problems,
Bronchitis, Sinusitis And Chronic
Obstructive Pulmonary Disorder

Serex M Kid DT

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Levocetirizine Hydrochloride I.P. 2.5 mg.
Montelukast I.P. 5 mg.

Indications:
For The Prophylaxis And Chronic Treatment
Of Asthma, Allergic Rhinitis And Urticaria.

Tez P

20 x 10 Tabs (Blister)



Each tablet contains:
Nimesulide B.P. 100 mg.
Paracetamol I.P. 325 mg.

Indications:
Osteoarthritis/rheumatoid Arthritis,
Musculo-skeletal Injuries, Tendonitis & Bursitis,
Low Back Pain/ Ankylosing Spondylitis

Tez MR

20 x 10 Tabs (Blister)



Each tablet contains:
Nimesulide I.P. 100 mg.
Tizanidine I.P. 2 mg.
Paracetamol 325 mg.

Indications:
Musculo-skeletal Spasm, Low Back Pain,
Painful Shoulder, Sports Injuries.

Pam 650

20 x 10 Tabs (Blister)




Each tablet contains:
Paracetamol I.P. 650 mg.

Indications:
For Symptomatic Relief From Mild To
Moderate Pain And Fever.

Tez 100

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Nimesulide B.P. 100 mg.

Indications:
Low Back Pain/ Ankylosing Spondylitis,
Antipyretic

DPC

10 x 10 Tabs (Blister)




Each tablet contains:
Diclofenac Potassium B.P. 50 mg.
Acetaminophen I.P. 325 mg.
Chlorzoxazone U.S.P. 250 mg.

Indications:
Arthritis, Spondylitis, Post Surgical
Management & Acute Low Back Pain

Tramp P

10 x 10 Alu-Alu



Each tablet contains:
Tramadol HCl 37.5 mg.
Paracetamol 325 mg.

Nexeron

20 x 10 Blister



Each tablet contains:
Tramadol HCl 37.5 mg.
Paracetamol 325 mg.



**Break the vicious cycle of
MUSCULAR PAIN**

Zomy 250

20 x 1 x 6 Tabs (Blister)



Each tablet contains:
Azithromycin I.P. 250 mg.

Indications:
Upper & Lower Rti's, Ssti's, Urogenital
Infections, Gonorrhoea.

Zomy 500

20 x 1 x 3 Tabs (Blister)



Each tablet contains:
Azithromycin I.P. 500 mg.

Indications:
Upper & Lower Rti's, Ssti's, Urogenital
Infections, Gonorrhoea.

Oxibit 90

10 x 10 Tabs (Alu-Alu)




Each tablet contains:
Etoricoxib 90 mg.

Indications:
Osteoarthritis,
Post Operative Dental Pain
& Acute Low Back Pain

Todolex P

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Etodolac 400 mg.
Paracetamol 325 mg.

Indications:
Arthritis, Spondylitis,
Post Surgical Management
& Acute Low Back Pain

Bee 12 G

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
 Mecobalamin JP 1500 mcg.
 Folic Acid I.P. 5 mg.
 Pyridoxine HCL I.P. 20 mg.

Indications:
 For Treatment Of Neuropathy.

Myco Ortho

10 x 15 Tabs (Blister)



Each tablet contains:
 Methylcobalamin JP 750 mg.
 Glucosamine Sulphaate 500 mg.
 Methyl Sulphonyl Methane 250 mg.

Indications:
 For Treatment Of Skeletal Related Neuropathy.

Pre Myco SR

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
 Pregabalin JP 75 mg.
 Methylcobalamin JP 1500 mcg.

Indications:
 For Treatment Of Neuropathy.

Myco GB

10 x 10 Tabs (Blister)




Each tablet contains:
 Methylcobalamin JP 500 mg.
 Gabapentin 300 mg.

Indications:
 For Treatment Of Neuropathy.

Zondy 400

10 x 5 x1 Tabs (Blister)



Each tablet contains:
 Albendazole I.P. 400 mg.

Indications:
 Tapeworm Infections
 Neurocysticercosis
 Hydatid Disease
 Mixed Helminthic Infestations.

Zondy Plus

10 x 5 x1 Tabs (Blister)



Each tablet contains:
 Albendazole I.P. 400 mg.
 Ivermectin B.P. 6 mg.

Indications:
 Tapeworm Infections
 Neurocysticercosis
 Hydatid Disease
 Mixed Helminthic Infestations.

Clopitoz 75

20 x 10 Tabs (Blister)



Each tablet contains:
 Clopidogrel 75 mg.

Indications:
 Cerebrovascular Disease
 Coronary Artery Disease
 Peripheral Arterial Disease.

Mether LF

10 x 6 Tabs (Alu-Alu)




Each tablet contains:
 Artemether I.P. 80 mg.
 Lumefantrine 480 mg.

Indications:
 For Treatment Of Malaria.

TABLETS

Norfix TZ

20 x 10 Tabs (Blister)




Each tablet contains:
Norfloxacin 400 mg.
Tinidazole 600 mg.

Indications:
Ideal For Uti And Parasite Infections.

Evocam BR

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Rutoside Trihydrate 100 mg.
Bromelain 90 mg.
Trypsin 48 mg.

Indications:
Traumatic Injury,
Post Operative Inflammation
Abscess And Caesarean Section.

Belafin

20 x 10 Tabs (Blister)




Each tablet contains:
Ibuprofen I.P. 200 mg.
Paracetamol 325 mg.

Indications:
Frozen Shoulder, Sprains And Strains,
Sports Injuries.

Flozy

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Folic Acid I.P. 5 mg.

Indications:
Prophylaxis Of Drug Induced Folate Deficiency,
Renal Dialysis Prevention Of
Neutral Tube Defects.

Flaza D6

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Deflazacort 6 mg.

Indications:
Maintains Corticosteroid Level In Body,
Reduces Inflammatory Symptoms, Less Side
Effect Compared To Prednisolone, Produces Significant
Relief In Arthritic And Asthmatic Conditions

Fertose

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Ferrous Ascorbate
eq. to Elemental Iron 100 mg.
Folic Acid I.P. 1.5 mg.

Indications:
For Iron Deficiency And Anemia.

Acivin 800

3 x 10 Tabs (Blister)



Each tablet contains:
Aciclovir I.P. 800 mg.

Indications:
Antiviral And Treatment Of Herpes.

TERBO 250

5 x 4 x 7 Tabs (Blister)



Each tablet contains:
Terbinafine HCl USP 250 mg.

Indications:
For Fungal Infections..

When Metabolic Down Regulation Matters



- Thyroid hormone is a metabolic regulator in the body & disturbance in its level means deregulation of metabolism.
- Hypothyroidism leads to loss of energy, fatigue, dry skin and hair loss, mild weight gain, loss of appetite, constipation, depression & Goiter.
- Thyroxine supplementation regularise disturbed metabolism & reduces TSH level making physiological normalization.

THYROD

Thyroxine Sodium 25/50/100 mcg

Each Uncoated tablet contains :

Thyroxine Sodium I.P.	
eq. to Anhydrous	
Thyroxine Sodium	25/50/100 mcg
Excipients	q.s.



www.tntlifeline.com

TABLETS

Cipid

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Cetrizine 10 mg.

Indications:
Hay Fever, Allergic Rhinitis
Such As Sneezing, Rhinorrhoea, Itching,
Nasal, Congestion And Lacrimation.

Cipid CF

20 x 10 Tabs (Blister)



Each tablet contains:
Phenylephrine HCL IP 5 mg.
Acetaminophen 325 mg.
Cetrizine 10 mg.

Indications:
For Cold, Nausea And Chest Block.

Mykal K2

10 x 1 x 10 Tabs (Alu-Alu)



Each Tablet Contains:
Calcitriol 0.25 mcg.
Vitamin K2-7 50 mcg.
Calcium Carbonate 1250 mg.
Boron 500 mcg.
Zinc 20 mg.

Indications:
For Calcium Deficiency And
Helps In Pregnancy.

Evakal K2-7

10 x 1 x 10 Tabs (Alu-Alu)



Each tablet contains:
Calcitriol 0.25 mcg.
Vitamin K2-7 50 mcg.
Calcium Citrate Maleate 1250 mg.
Boron 500 mcg.
Zinc 20 mg.

Indications:
For Calcium Deficiency And
Helps In Pregnancy.

Terox 150

6 x 5 x 10 Tabs (Blister)



Each chewable tablet contains:
Roxithromycin I.P. 150 mg.

Indications:
Upper & Lower Rti's, Ssti's, Urogenital
Infections, Gonorrhoea

Zosic

10 x 5 x 1 Tabs (Blister)



Each tablet contains:
Fluconazole I.P. 150 mg.

Indications:
Coccidioidomycosis, Invasive Candidiasis,
Mucosal Candidiasis Including Oropharyngeal,
Oesophagal Candidiasis, Chronic Mucocutaneous
Candidiasis

Zipred 4

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Methylprednisolone 4 mg.

Indications:
Maintains Corticosteroid Level In Body,
Reduces Inflammatory Symptoms,
Less Sideeffect Compared To Prednisolone,
Produces Significant
Relief In Arthritic And Asthmatic Conditions

Rizine C

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Cinnarizine 20 mg.
Domperidone 10 mg.

Indications:
Vertigo, Dizziness, Nystagmus,
Tinnitus, Nausea,
Vomiting And Peripheral Vascular Disorder.

Hotvin 10

2 x 5 x 10 Tabs (Blister)



Each tablet contains:
Hydroxyzine HCl 10 mg.

Indications:
Rhinitis, Anxiety And Tension, Pruritis, Chronic Urticaria, Atopic And Contact Dermatoses.

Hotvin 25

2 x 5 x 10 Tabs (Blister)



Each tablet contains:
Hydroxyzine HCl 25 mg.

Indications:
Rhinitis, Anxiety And Tension, Pruritis, Chronic Urticaria, Atopic & Contact Dermatoses.

ESTOP MD

20 x 10 Tabs (Alu-Alu)



Each tablet contains:
Ondansetron HCL I.P. 4 mg.

Indications:
Nausea And Vomiting Induced By Cytotoxic Chemotherapy And Radiotherapy, And For Prevention Of Post-operative Nausea And Vomiting.

Atro 20

6 x 5 x 10 Tabs (Blister)



Each tablet contains:
Atrovastatin IP 20 mg.

Indications:
Primary And Secondary Hypercholesterol, Secondary Prevention Of Stroke And Acute Coronary Syndrome

Doxophill

10 x 10 Tabs (Blister)



Each tablet contains:
Doxofylline 400 mg.

Indications:
Severe Asthama Attacks, Dyspnea, Pulmonary Edema And Bronchospasms.

Lorn P

10 x 10 Tabs (Blister)



Each tablets contains:
Lornoxicam 8 mg.
Paracetamol IP 325 mg.

Indications:
Post Operative Pain, Osteoarthritis, Spondylitis, Low Back Pain & Acute Sciatica.

Canam

20 x 15 Tabs (Blister)



Each tablet contains:
Calcium Carbonate I.P. 1250 mg.
eq. Elemental Calcium 500 mg.
Vitamin D3 I.P. 250 I.U.

Indications:
For Calcium Deficiency And Helps In Pregnancy.

Canam AB

20 x 15 Tabs (Blister)



Each tablet contains:
Alfacalcidol B.P. 0.25 mcg.
Calcium Carbonate I.P. 625 mg.
eq. to Elemental Calcium 250 mg.
Betacarotene U.S.P. 2500 I.U.

Indications:
For Calcium Deficiency And Helps In Pregnancy.

TABLETS

Poena LAB

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime 200 mg.
Lactic Acid bacillus 2.5 Billion

Indications:
Nosocomial Infections, Respiratory Tract Infections, Urinary Tract Infections, Gonococcal Infections

Poena DL

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime 200 mg.
Dicloxacillin 500 mg.

Indications:
Nosocomial Infections, Respiratory Tract Infections, Urinary Tract Infections, Gonococcal Infections

Poena DMX

10 x 10 Tabs (Alu-Alu)



Each tablet contains:
Cefixime 400 mg.
Moxifloxacin 400 mg.

Indications:
Nosocomial Infections, Respiratory Tract Infections, Urinary Tract Infections, Gonococcal Infections

Poena CL

10 x 10 Tabs (Alu-Alu)




Each tablet contains:
Cefixime 200 mg.
Cloxacillin 500 mg.

Indications:
Nosocomial Infections, Respiratory Tract Infections, Urinary Tract Infections, Gonococcal Infections

T-Moxy 375

3 x 10 Tabs (Alu-Alu)




Each tablet contains:
Amoxicillin Trihydrate I.P. 250 mg.
Potassium Clavulanate I.P. 125 mg.

Indications:
Upper & Lower Rti, Sinusitis, Acute Otitis Media, Surgical Prophylaxis

T-Moxy 1000

3 x 10 Tabs (Alu-Alu)



Each tablet contains:
Amoxicillin Trihydrate I.P. 875 mg.
Potassium Clavulanate I.P. 125 mg.

Indications:
Upper & Lower Rti, Sinusitis, Acute Otitis Media, Surgical Prophylaxis

Multi Plus

50 Tabs Jar



Multivitamin, Multimineral & Anti-Oxidant

Indications:
For Energy And Restoring Daily Vitamin Requirement.

Teecal Forte

30 Tabs Jar



Calcium Citrate Malate 1250 mg.
Vitamin D3 250 I.U.
Folic Acid 5 mg.

Indications:
For Calcium Deficiency & Helps In Pregnancy.



CAPSULES

Astimo SR

10 x 10 Caps (Alu-Alu)



Each capsule contains:
Acebrophylline (SR) 200 mg.

Indications:
Severe Asthma Attacks, Dyspnea,
Pulmonary Edema And Bronchospasms.

Lantic

15 x 10 Caps (Blister)



Each capsule contains:
Lycopene 10% 2000 mcg.
Cynocobalamin I.P. 2.5 mcg.
Pyridoxine HCL I.P. 1.5 mg.
Niacinamide I.P. 25 mg.
Zinc Sulphate I.P. 7.5 ma.
Copper Sulphate USP 1 mg.
Manganese Sulphate USP 1.5 mg.
Beta Carotene USP 10 mg.
Selenium Dioxide eq. to
Elemental Selenium 25 mcg.

Indications:
Vitamin A Deficiency, Anameia

Tepra DSR

10 x 10 Caps (Alu-Alu)



Each capsule contains:
Rabepazole Sodium I.P. 20 mg.
Domperidone B.P. 30 mg.

Indications:
Duodenal Or Benign Gastric Ulcers Acid
Reflux Disease , Reflux Esophagitis
Dyspesia & Bloating

Pantovay DSR

10 x 10 Caps (Alu-Alu)




Each capsule contains:
Pantoprazole 40 mg.
Domperidone 30 mg.

Indications:
Maintains Corticosteroid Level In Body,
Reduces Inflammatory Symptoms, Less Side
Effect Compared To Prednisolone, Produces Significant
Relief In Arthritic And Asthmatic Conditions

August 250

20 x 10 Caps (Blister)




Each capsule contains:
Amoxicillin Trihydrate I.P. 250 mg.

Indications:
Respiratory Infections,
Genito-urinary Infections,
Skin And Soft Tissue Infections
And Gi Infections.

August 500

20 x 10 Caps (Blister)



Each capsule contains:
Amoxicillin Trihydrate I.P. 500 mg.

Indications:
Respiratory Infections,
Genito-urinary Infections,
Skin And Soft Tissue Infections
And Gi Infections.

Controls
Acid and Reflux

**The fire
extinguisher**

Esma DSR
10 x 10 Caps (Alu-Alu)



CAPSULES

Myco Plus

3 x 10 Caps (Alu-Alu)



Each capsule contains:
 Mecobalamin 1500 mcg.
 Alpha Lipoic Acid USP 100 mg.
 Folic Acid I.P. 1.5 mg.
 Pyridoxine Hydrochloride I.P. 3 mg.
 Sodium Selenate eq. to Elemental Selenium 35 mcg.
 Chromium Picolinate 60 mcg.

Indications:
 Diabetes, Hypercholesterolaemia, Osteoarthritis/osteoporosis, Peripheral/diabetic Neuropathy

Pre-Myco

10 x 10 Caps (Alu-Alu)




Each capsule contains:
 Pregabalin 75 mg.
 Methylcobalamin 750 mcg.

Indications:
 Diabetes, Hypercholesterolaemia, Osteoarthritis/osteoporosis, Peripheral/diabetic Neuropathy

Tramp

10 x 10 Caps (Blister)




Each capsule contains:
 Tramadol Hydrochloride 100 mg.

Indications:
 In Treatment Of Moderate To Severe Pain.

Ulon

2 x 15 Caps (Blister)



Each capsule contains:
 Elemental Iron (in form of Carbonyl Iron) 100 mg.
 Folic Acid I.P. 1.5 mg.
 Vit.B12 I.P. 15 mcg.
 Vit.C (Coated) I.P. 75 mg.
 Zinc Sulphate Monohydrate USP 61.8 mg.
 Selenium 65 mcg.

Indications: The Prophylaxis Of Iron And Folic Acid Deficiency During Pregnancy

Votil

20 x 15 Caps (Foil)



Each capsule contains:
 Omeprazole I.P. 20 mg.

Indications:
 Gerd, Nsaid Related Ulcers, Peptic Ulcers, Bleeding Zollinger Syndrome.

Votil D

20 x 15 Caps (Foil)



Each capsule contains:
 Omeprazole I.P. 20 mg.
 Domperidone B.P. 10 mg.

Indications:
 Duodenal Or Benign Gastric Ulcers Acidic Reflux, Reflux Esophagitis Abd Bloating.

Xing

10 x 15 Caps (Blister)



Each capsule contains:
 Vit.A 5000 I.U.
 Vit.B1 5 mg.
 Vit.B2 5 mg.
 Vit.B6 2 mg.
 Vit.B12 5 mg.
 Vit.C 75 mg.
 Vit.D3 400 I.U.
 Vit.E 15 mg.
 Nicotinamide 50 mg.
 Calcium D Pantothenate 2 mg.
 Folic Acid 1 mg.
 Copper Sulphate 0.5 mg.
 Potassium 2 mg.
 Magnesium Sulphate 3 mg.
 Diabasic Calcium Phosphate 75 mg.
 Zinc Sulphate Monohydrate 25 mg.
 Potassium Iodide 0.1 mg.

Indications:
 Vitamin And Mineral Deficiency And Fatigue.

Dirin-50

3 x 10 Caps (Blister)



Each capsule contains:
 Glucosamine Sulphate 50 mg.

Indications:
 Pain & Inflammation in Chronic Arthritic Conditions



CAPSULES

Pre-Bio

10 x 10 Caps (Alu-Alu)



Each capsule contains:
 Fructooligosaccharide 100 mg.
 L-Glutamine 50 mg.
 Bifidobacterium Bifidum 75m spores
 Bifidobacterium Longum 75m spores
 Lacto Bacillus Acidophilus 150m

Indications:
 For Intestinal Health.

Rich Plus

3 x 10 Caps (Alu Alu)



Each capsule contains

Green tea extract(50% polyphenols)	50.0 mg.
Lutein 10% (ester)	5.0 mg.
Ginseng extract powder (4%)	42.5 mg.
Lycopene(6%)	2000 mcg.
Selenium	4.0 mcg.
Vitamin c(coated)	50.0 mg.
Ferrous fumarate	30.0 mg.
Zinc oxide	10.0 mg.
Nicotinamide	15.0 mg.
Calcium pantothenate	5.0 mg.
Vitamin e acetate	5.0 mg.
Potassium sulphate	2.0 mg.
Vitamin b2	1.5 mg.
Vitamin b1	1.0 mg.
Vitaminb6	1.0 mg.
Manganese sulphate	0.5 mg.
Copper sulphate	0.5 mg.
Folic acid	0.15 mg.
Potassium iodide	0.1 mg.
Vitamin a acetate	2500 i.u.
Vitamin d3	200 i.u.
Vitaminb12	1.0 mg.

Clincee 300

10 x 10 Caps (Blister)



Each capsule contains:
 Clindamycin 300 mg.

Indications:
 Allergic Respiratory Problems,
 Bronchitis, Sinusitis & Chronic Obstructive
 Pulmonary Disorder

Lvin

10 x 4 Caps (Alu-Alu)



Each capsule contains:
 Itraconazole 100 mg.

Indications:
 Vulvovaginal Candidiasis, Pityriasis Versicolor,
 Dermatophytoses, Onychomycosis,
 Cryptococcosis And Other Fungal Infections.

Teptra LD

10 x 10 Caps (Alu-Alu)



Each capsule contains:
 Rabeprazole Sodium 20 mg.
 Levosulpride (SR) 75 mg.

Indications:
 Gastro-oesophageal Reflux Disease.

Teptra IT

10 x 10 Caps (Alu-Alu)



Each capsule contains:
 Rabeprazole 20 mg.
 Itopride (SR) 150 mg.

Indications:
 Gastro-oesophageal Reflux Disease.

In Severe
 Conditions
 of Pain

LEVORO

Piroxicam 40mg/2 ml. Injection



Outsmart Pain

- Hyperalgesia
- Post Operative Pain
- Osteoarthritis
- Rheumatoid Arthritis



Prescribed &
Trusted
by millions



CEFLOZY $\frac{250}{500}$

Cephalexin 250/500 mg. Capsules

- Ceflozy is a drug of choice in case of gram +ve infections and is prescribed world wide
- Widely distributed in the tissues
- Useful in the treatment of both acute and chronic infections of the urinary tract, including many cases previously unresponsive to other antibiotics



Respiratory tract infections

Otitis media

Skin & Soft tissue infections

Bone & joint infections

Genitourinary tract infections

Mero 250

Vial + WFI



Each vial contains:
Meropenem
Sodium Carbonate

250 mg.
22.55 mg.

Indications:
Nosocomial Pneumonia,
Urinary Tract Infections,
Obstetric/gynaecological &
Intra-abdominal Infections

Mero 500

Vial + WFI



Each vial contains:
Meropenem
Sodium Carbonate

500 mg.
22.55 mg.

Indications:
Nosocomial Pneumonia,
Urinary Tract Infections,
Obstetric/gynaecological &
Intra-abdominal Infections

Mero 1000

Vial + WFI



Each vial contains:
Meropenem
Sodium Carbonate

1000 mg.
22.55 mg.

Indications:
Nosocomial Pneumonia,
Urinary Tract Infections,
Obstetric/gynaecological &
Intra-abdominal Infections

Mero S

Vial + WFI



Each vial contains:
Meropenem
Sulbactam

1000 mg.
500 mg.

Indications:
Nosocomial Pneumonia,
Urinary Tract Infections,
Obstetric/gynaecological &
Intra-abdominal Infections

Cefovay 500

Vial + WFI



Each vial contains:
Cefotaxime

500 mg.

Indications:
Nosocomial Infections,
Pneumonia, Meningitis,
Bone And Joint Infections.

Cefovay 1000

Vial + WFI




Each vial contains:
Cefotaxime

1000 mg.

Indications:
Nosocomial Infections,
Pneumonia, Meningitis,
Bone And Joint Infections.

Olofen AQ

10 x 1ml. Ampoules



Each ampule contains:
Diclofenac Sodium

75 mg.

Indications:
Severe Pain

Olofen 3 ml.

50 x 3ml. Ampoules



Each ampule contains:
Diclofenac Sodium IP
Benzyl Alcohol IP
Water for Injection IP


25 mg.
4% w/v
q.s.

Indications:
Severe Pain

INJECTIONS

Peronex 1000

Vial + WFI




Each vial contains:
Cefoperazone 1 gm.

Indications:
Respiratory Tract Infections, I
Ntra-abdominal Infections, Uti,
Septicemia, Meningitis, Skin Infections,
Gynecological Infections.

Peronex S 1000

Vial + WFI



Each vial contains:
Cefoperazone 500 mg.
Sulbactam 500 mg.

Indications:
Respiratory Tract Infections, I
Ntra-abdominal Infections, Uti,
Septicemia, Meningitis, Skin Infections,
Gynecological Infections.

Peronex S 1500

Vial + WFI



Each vial contains:
Cefoperazone 1000 mg.
Sulbactam 500 mg.

Indications:
Respiratory Tract Infections, I
Ntra-abdominal Infections, Uti,
Septicemia, Meningitis, Skin Infections,
Gynecological Infections.

Spaxim 250

Vial + WFI



Each vial contains:
Ceftriaxone Sodium 250 mg.

Indications:
Bacteraemia
Septicaemia
Meningitis
Nosocomial Infections.

Spaxim 500

Vial + WFI




Each vial contains:
Ceftriaxone Sodium 500 mg.

Indications:
Bacteraemia, Septicaemia, Meningitis And
Nosocomial Infections.

Spaxim 1000

Vial + WFI



Each vial contains:
Ceftriaxone Sodium 1000 mg.

Indications:
Bacteraemia, Septicaemia, Meningitis And
Nosocomial Infections.

Spaxim S 1500

Vial + WFI




Each vial contains:
Ceftriaxone Sodium 1000 mg.
Sulbactam 500 mg.

Indications:
Meningitis, Nosocomial Infections,
Typhoid And Chronic Bronchitis.

Spaxim S 375

Vial + WFI



Each vial contains:
Ceftriaxone Sodium 250 mg.
Sulbactam 125 mg.

Indications:
Meningitis, Nosocomial Infections,
Typhoid And Chronic Bronchitis.

Spaxim TZ Kid



Vial + WFI

Each vial contains:
Ceftriaxone 250 mg.
Tazobactam 31.25 mg.

Indications:
Meningitis, Nosocomial Infections,
Typhoid And Chronic Bronchitis.

Spaxim TZ




Vial + WFI

Each vial contains:
Ceftriaxone 1000 mg.
Tazobactam 125 mg.

Indications:
Meningitis, Nosocomial Infections,
Typhoid And Chronic Bronchitis.

Pantovay




Vial + WFI

Each vial contains:
Pantoprazole 40 mg.

Indications:
Gerd,nsaid Related Ulcers,
Peptic Ulcer Bleeding &
Zollinger Ellison Syndrome

Esma 40




Vial + WFI

Each vial contains:
Esomeprazole Sodium 40mg

Indications:
Pepticulcer, Gerd, Zouinger
Edison Syndrome

Zona 100



Vial

Each vial contains:
Amikacin Sulphate 100 mg.

Indications:
Community Acquired Utis,
Bacterial Meningitis And
Other Bacterial Infections

Zona 250




Vial

Each vial contains:
Amikacin Sulphate 250 mg.

Indications:
Community Acquired Utis,
Bacterial Meningitis And
Other Bacterial Infections

Zona 500



Vial

Each vial contains:
Amikacin Sulphate 500 mg.

Indications:
Community Acquired Utis,
Bacterial Meningitis And
Other Bacterial Infections

Preidon




Vial

Each vial contains:
Ceftriaxone Sodium 1000 mg.

Indications:
Endocrine Disorders, Rheumatic Disorders,
Chronic Inflammatory Processes Involving
The Eye Allergic States And Dermatological
Diseases.

INJECTIONS

Vancee 500




Vial + WFI

Each vial contains:
Vancomycin Hydrochloride
eq. to Vancomycin 500 mg.

Indications:
Staphylococcal Endocarditis,
Septicemia, Bone Infections, Lower Rti,
Skin & Skin Structure Infections

Vancee 1000




Vial + WFI

Each vial contains:
Vancomycin Hydrochloride 1000 mg.

Indications:
Staphylococcal Endocarditis,
Septicemia, Bone Infections, Lower Rti,
Skin & Skin Structure Infections

Zomy




Vial

Each vial contains:
Azithromycin 100 mg.

Indications:
Upper & Lower Rti's, Ssti's
Urogenital Infections,
Gonorrhea.

Dorcee 500



Vial + WFI

Each vial contains:
Doripenem 500 mg.

Indications:
Intra-abdominal Infections
Nosocomial, Pneumonia
Urinary Tract Infections
Including Pyelonephritis

Clincee 300



Vial + WFI

Each ampoule contains:
Clindamycin 300 mg.

Indications:
Acne Vulgaris, Other Skin &
Soft Tissue Infections,
Dental Infections &
Bone & Joint Infections

August CV



Vial + WFI

Each vial contains
Amoxicillin 1 mg.
Potassium Clavulanate 200 mg.

Indications:
Community Acquired, Pneumonia,
Sinusitis Ssti/uti
Surgical Prophylaxis

HI-Prost 250



Dispo Pack

Each ampoule contains:
Hydroxyprogesterone
Hexanoate 250 mg.

Indications:
Habitual & Threatened Abortion, Infertility
Due To Corpus Luteum Insufficiency,
Primary & Secondary Amenorrhoea,
Uterine Hypoplasia

HI-Prost 500



Dispo Pack

Each ampoule contains:
Hydroxyprogesterone
Hexanoate 500 mg.

Indications:
Habitual & Threatened Abortion, Infertility
Due To Corpus Luteum Insufficiency,
Primary & Secondary Amenorrhoea,
Uterine Hypoplasia

Estop

10 x 2 ml. Ampoules




Each ampoule contains:
Ondansetron 4 mg.

Indications:
For Nausea And Vomiting Induced By Cytotoxic, Chemotherapy & Radiotherapy And For The Prevention Of Post Operative Nausea And Vomiting

Nexeron

10 x 2 ml. Ampoules



Each ampoule contains:
Tramadol Hydrochloride I.P. 50 mg.
Water for injection I.P. q.s.

Indications:
Postoperative Pain, Associated With Surgery

Elis 25

Dispo Pack



Each ampoule contains:
Nandrolone Decanoate 25 mg.

Indications:
Osteoporosis, Burns/trauma, Convalescence Anaemia

Elis 50

Dispo Pack



Each ampoule contains:
Nandrolone Decanoate 50 mg.

Indications:
Osteoporosis, Burns/trauma, Convalescence Anaemia

Fertose S

Ampoule



Each ampoule contains:
Ferric Hydroxide Sucrose Complex eq. to Elemental Iron 20 mg.

Indications:
Iron Deficiency Anaemia

Tazoway 4.5

Vial + WFI



Each vial contains:
Piperacillin 4 mg.
Tazobactam 0.5 gm.

Indications:
Meningitis In Severe Nosocomial Infections, Lower Respiratory Tract Infections, Intra-abdominal Infections

Impeno 500

Vial + WFI



Each vial contains:
Imipenem 250 mg.
Cilastatin 250 mg.

Indications:
Intra-abdominal Infections, Bone & Joint Infections, Skin And Skin-tissue Infections, Urinary Tract Infections, Biliary-tract Infections, Hospital Acquired Pneumonia & Septicaemia.

Impeno 1000

Vial + WFI



Each vial contains:
Imipenem 500 mg.
Cilastatin 500 mg.

Indications:
Intra-abdominal Infections, Bone & Joint Infections, Skin And Skin-tissue Infections, Urinary Tract Infections, Biliary-tract Infections, Hospital Acquired Pneumonia & Septicaemia.

DROPS

Cipid CF

15 ml.



Each ml. contains:
Cetirizine HCL 2.5 mg.
Phenylephrine 2.5 mg.
Paracetamol 125 mg.

Indications:
Cold, Allergy And Hay Fever.

Estop

30 ml.



Each ml. contains:
Ondansetron 2 mg.

Indications:
Nausea And Vomiting Induced By Cytotoxic Chemotherapy And Radiotherapy, And For Prevention Of Post-operative Nausea And Vomiting.

Zympex

15 ml.



Each ml. contains:
Alpha Amylase 20 mg.
Papain 10 mg.
Dill Oil 2 mg.
Aniseoil 2 mg.
Caraway Oil 2 mg.

Indications:
Loss Of Appetite.

Flovit

15 ml.



Each ml. contains:
Multivitamin Drops (Fortified with Zinc, B-Complex and Vit.B12) 2 mg.

Indications:
Vitamin And Minerals Deficiency.

TNT D3

Oral Spray Drops



Most Common Deficiency in Vitamin D:

- Flu
- Muscular Weakness
- Chronic Weakness
- Liver Diseases





Multiplus

200 ml.

Each 10 ml. contains

Carbohydrates	4.1g.
Fat	41.5 mg.
Vit.A	2500 I.U.
Vit.D3	200 I.U.
Vit.E	7.5 I.U.
Vit.B12	0.25 mg.
Vit.B2	2.5 mg.
Vit.B6	1.0 mg.
Niacinamide	22.5 mg.
Vit.B1	22.5 mcg.
D-Panthenol	2.5 mcg.
Vit.C	40 mg.
Zinc Gluconate	10 mg.
Potassium Iodine	50 mcg.
Chromium Chloride	8 mcg.
Sodium Molybdate	6 mcg.
Manganese Chloride	40 mg.
Calcium Lactate	12.5 mg.
Sodium Selenate	10 mcg.
Energy	17.3 Kcal.



Flovit

200 ml.

Each 5 ml. contains:

Zinc Sulphate	IP	2.0 mg.
Vitamin B1	IP	1.5 mg.
Vitamin B2	IP	1.0 mg.
Vitamin B6	IP	0.5 mg.
Methylcobalamin		2 mcg.
Niacinamide	IP	15 mg.
L-Lysine		
Monohydrochloride USP		25 mg.
In a pleasantly flavoured base		q.s.

Indications:

Vitamins And Mineral Deficiency,
Fatigue And Stress.



Canam

200 ml.

Each 5ml. contains:

Calcium Carbonate I.P.	625 mg.
From Organic Source Oyster Shell eq. Elemental Calcium	250 mg.
Vit.D3	125 I.U.

Indications:

Osteoporosis
Pre-eclampsia
Premenstrual
Syndrome, Rickets.



Cipid-CF

60 ml.

Each 5ml. contains:

Phenylephrine Hydrochloride I.P.	5 mg.
Paracetamol	I.P. 125 mg.
Cetirizine	2.5 mg.

Indications:

Cold, Fever, Bodyache, Sneezing And
Nasal Congestion.



Teegel

170 ml.

Each 5 ml. contains

Oxethacaine	10 mg.
Dried Alu. Hydroxide Gel	291 mg.
Magnesium Hydroxide	25 mg.

Indications:

Coccidioidomycosis, Invasive Candidiasis,
Mucosal Candidiasis Including Oropharyngeal,
Oesophagal Candidiasis, Chronic Mucocutaneous
Candidiasis



Cytin-T

200 ml.

Each 10 ml. contains:

Cyproheptadine	2 mg.
Tricholine Citrate	275 mg.

Indications:

Increase Appetite.



Protect

150 ml.

Each 5 ml. contains:

Chlorhexidine Gluconate	0.2%
-------------------------	------

Indications:

Mouth Infections, Pyorrhea,
Sensitivity And Plaque



Flaza D

30 ml..


Each 5 ml. contains:

Deflazacort	6 mg.
-------------	-------

Indications:

Maintains Corticosteroid Level In Body,
Reduces Inflammatory Symptoms, Less Side
Effect Compared To Prednisolone, Produces Significant
Relief In Arthritic And Asthmatic Conditions

SYRUPS



Fertose

200 ml.

Each 10 ml. contains:
 Ferrous Ascorbate eq. to
 Elemental Iron 30 mg.
 Folic Acid I.P. 550 mcg.

Indications:
 Anaemia, Hyperhomocysteinaemia
 Neutral Tube Defects.



Ferrmac

200 ml.

Each 15 ml. contains:
 Ferrous Ammonium Citrate IP 160 mg.
 Elemental Iron 32.8 mg.
 Folic Acid I.P. 0.5 mg.
 Vitamin B12 IP 7.5 mcg.

Indications:
 Anaemia, Hyperhomocysteinaemia
 Neutral Tube Defects.




Lantic

200 ml.

Each 10 ml. contains:
 Lycopene 10% 2000 mcg.
 Niacinamide 25 mg.
 Folic Acid 100 mcg.
 Selenium (as sodium Selenate) 35 mcg.
 Zinc (as Zinc Gluconate USP) 3 mg.
 Iodine (as Potassium Iodide USP) 500 mcg.
 Copper (as Cupric Sulphate USP) 1 mcg.
 Vit.B12 1.5 mg.
 Vit.B6 1.5 mg.

Indications:
 Prevents Impaired Vision, Scurvy And Coronary
 Heart Disease, Development And Differentiation Of Wbc.



Ulon

200 ml.

Each 10 ml. contains:
 Iron Carbonyl 50 mg.
 Folic Acid 1 mg.
 Vit.B12 5 mcg.
 Zinc 25 mg.

Indications:
 Nutritional Anaemia, Fatigue, General Debility
 And Convalescence, Anaemia Of Pregnancy
 And Lactation.



Mygut

200 ml.

Each 10 ml. contains
 Sucralfate 1 gm.

Indications:
 Anti Ulcerate, Gerd And Peptic Ulcers.



Mygut O

200 ml.

Each 15 ml. contains:
 Sucralfate 1 gm.
 Oxethacaine 20 mg.

Indications:
 Anti Ulcerate, Gerd And Peptic Ulcers.



Serex-L

60 ml.

Each 5ml. contains:
 Montelukast Sodium IP 4 mg.
 Levocetirizine Hydrochloride IP 2.5 mg.

Indications:
 Allergic Rhinitis
 (Perennial/Seasonal)



Olo MS

60 ml.

Each 5 ml. contains:
 Ofloxacin IP 4 mg.
 Metronidazole Benzoate IP 2.5 mg.
 Simethicone 10 mg.


Indications:
 Gi Infections, Food Poisoning, Dysentery,
 Diarrhoea Due To Mixed Origins.

A Proteolytic enzyme which
breaks down proteins
& peptides into simpler molecules.


ZYMPEX

Advanced Enzyme Syrup

Fortified With Pepsin Power



Each 15 ml. contains:
Fungal Diastase(1:1200) IP 50 mg.
(Digests not less than 60 gm. of
cooked starch)
Pepsin(1:3000) IP 10 mg.
(Digests not less than 30 gm. of
coagulated egg albumin)
In a flavoured syrupy base q.s.



Kofdryl

100 ml.

Each 5ml. contains:
Diphenhydramine 14.08 mg.
Ammonium Chloride 0.138 mg.
Sodium Citrate 57.03 mg.
Menthol 1.14 mg.

Indications:
Cough Suppressant, Allergic Cough
And Dry Cough.



Teezy

100 ml.

Each 5ml. contains:
Ambroxol HCl I.P. 15 mg.
Terbutaline Sulphate I.P. 1.25 mg.
Guaiphenesin I.P. 50 mg.
Menthol I.P. 1 mg.

Indications:
Acute And Chronic Bronchitis,
Bronchospasmodic Disorders, Lt.



Tincof

100 ml.

Each 5ml. contains:
Ambroxol HCl I.P. 30 mg.
Levosulbutamol Sulphate I.P. 1 mg.
Guaiphenesin I.P. 50 mg.

Indications:
Cough Suppressant, Allergic Cough
And Dry Cough.



Clotac DM

100 ml.

Each 5ml. contains:
Dextromethorphan HBr. 10 mg.
Phenylephrine HCl I.P. 2.5 mg.
Chlorpheniramine Maleate I.P. 2 mg.

Indications:
Acute And Chronic Bronchitis,
Bronchospasmodic Disorders, Lt.



Omogel-MPS

Suspension 170 ml.

Each 10 ml. contains:
Magnesium
Simeicone 400 mg
60 mg.

Indications:
Hyper Acidity, Peptic Ulcers And
Erosive Esophagitis.



Tonycid MPS

Suspension 170 ml.

Each 5 ml. contains:
Activated Dimethicone IP 50 mg.
Magnesium Hydroxide IP 250 mg.
Dried Aluminium Hydroxide gel IP 250 mg.
Sorbitol Solution (70%) IP 1.25 gm.

Indications:
Hyper Acidity, Peptic Ulcers And Heartburn.



Pam-250

60 ml.

Each 5 ml. Contains:
Paracetamol 250 mg.

Indications:
Fever, Pain And Cold.



Tez-P

60 ml.

Each 5 ml. contains:
Nimesulide 100 mg.
Paracetamol 250 mg.

Indications:
Severe Pain And Fever.



Orlic-P

60 ml.

Each 5 ml. contains:
Aceclofenac 50 mg.
Paracetamol 125 mg.

Indications:
Severe Pain And Fever.



Belafin

60 ml.

Each 5 ml. contains:
Ibuprofen 100 mg.
Paracetamol 162.5 mg.

Indications:
Pain And Fever.



Octacold

60 ml.

Each 5 ml. contains:
Pseudoephedrine HCL 5 mg.
Chlorpheniramine Maleate 2 mg.
Paracetamol 125 mg.

Indications:
Pain, Nasal Congestion, Allergy,
Common Cold And Sinusitis.



Nilcol


60 ml.

Each 5 ml. contains:
Pseudoephedrine HCL 5 mg.
Chlorpheniramine Maleate 2 mg.

Indications:
Pain, Nasal Congestion, Allergy,
Common Cold And Sinusitis.



DRY SYRUPS



Augus CV DS

30 ml. with Water

Each 5 ml. contains:
Amoxicillin 400 mg.
Potassium Clavulanic 28.5 mg.

Indications:
Community Acquired Pneumonia,
Sinusitis And Acute Otitis Media.




Augus DS

30 ml.

Each 5 ml. contains:
Amoxicillin 200 mg.
Potassium Clavulanic 28.5 mg.

Indications:
Community Acquired Pneumonia,
Sinusitis And Acute Otitis Media.



Poena 50

30 ml.

Each 5 ml. contains:
Cefixime 50 mg.

Indications:
Tonsillitis And Pharyngitis, Sinusitis And
Acute Otitis Media



Poena 100

30 ml.

Each 5 ml. contains:
Cefixime 100 mg.

Indications:
Tonsillitis And Pharyngitis, Sinusitis And
Acute Otitis Media



Poena O

30 ml.

Each 5 ml. contains:
Cefixime 50 mg.
Ofloxacin 125 mg.

Indications:
Tonsillitis And Pharyngitis, Sinusitis And
Acute Otitis Media



Poena CV

30 ml.

Each 5 ml. contains:
Cefixime 50 mg.
Clavulanic Acid 28.5 mg.

Indications:
Tonsillitis And Pharyngitis, Sinusitis And
Acute Otitis Media



Roxtil 100

30 ml.

Each 5ml. contains:
Cefpodoxime Proxetil I.P. 100 mg.

Indications:
Tonsillitis And Pharyngitis, Sinusitis And
Acute Otitis Media



Roxtil CV

30 ml.

Each 5 ml. contains:
Cefpodoxime Proxetil I.P. 100 mg.
Potassium Clavulanic Diluted I.P. 125 mg.

Indications:
Tonsillitis And Pharyngitis, Sinusitis And
Acute Otitis Media

SOAPS AND OTC



Glony

Soap 75 g.

Anti Acne Medicated Cleaning Bar

Indications:
Acne, Rashes And For Oily Skin.



Pace

Shampoo 50ml / Soap 75 g.

Ketoconazole I.P. (Soap)	2% w/w
Ketoconazole I.P. (Shampoo)	5% w/w

Indications:
Viral Infections, Dandruff And Rashes.



Prin

Lotion 50ml/Soap 75gm

Permethrin (Soap)	1% w/w
Permethrin (Lotion)	5% w/w

Indications:
Lices And Viral Infections



Evora

Soap 75 gm.

Beauty Cleansing Bar

Indications:
Rashes, Ageing And Oily Skin.



T-Line

50 gm.

Petroleum Jelly

Indications:
Rashes And Dry Skin.



Calwin

100 ml.

Calamine	IP	8.0% w/w
Liquid Paraffin	IP	10.0% w/w
Glycerin		

Indications:
Insect Bite Itchy Skin And Ageing Skin.

Aloe Nature

PURE ALOE VERA SKIN GEL



*For Normal Oily Skin
With Goodness of Vitamin E*

Indications: Insect Bite, Burnt Skin, Wounded Skin, Itchy Skin and ageing skin.

REVIVING LIFE THROUGH HERBS **20% EXTRA FREE**





EYE, EAR & NASAL



Ciften

Eye/Ear Drops 10 ml.

Ciprofloxacin 0.3% w/v

Indications: Blepharconjunctivitis, Keratoconjunctivitis, Corneal Ulcers, Post-operative Prophylaxis



Ciften D

Eye/Ear Drops 10 ml.

Ciprofloxacin 0.3% w/v
Dexamethasone 0.5% w/v

Indications: Blepharconjunctivitis, Keratoconjunctivitis, Corneal Ulcers, Post-operative Prophylaxis



Moxin

Eye Drops 10 ml.

Moxifloxacin 0.5% w/v

Indications: Conjunctivitis And Other Eye Infection.



Moxin D

Eye Drops 10 ml.

Moxifloxacin 0.5% w/v
Dexamethasone 0.1% w/v

Indications: Conjunctivitis And Other Eye Infection.



Olo

Eye/Ear Drops 10 ml.

Ofloxacin I.P. 0.3% w/v

Indications: Keratoconjunctivitis, Blepharconjunctivitis, Corneal Ulcer, Pre-operative Prophylaxis



Olo-D

Eye/Ear Drops 10 ml.

Ofloxacin I.P. 0.3% w/v
Dexamethasone I.P. 0.055 w/v

Indications: Keratoconjunctivitis, Blepharconjunctivitis, Corneal Ulcer, Pre-operative Prophylaxis



Omet

Eye/Ear Drops 10 ml.

Xylometazoline 0.1% w/v

Indications: Nasal Decongestion



Predox

Eye/Ear Drops 5 ml.

Moxifloxacin 0.5% w/v
Prednisolone Acetate

Indications: Conjunctivitis And Other Eye Infection

EYE, EAR & NASAL

Zosic

Eye/Ear Drops 10 ml.



Fluconazole 0.3% w/v

Indications:
External Infections Of Eye Caused By, Gram +ve, Gram -ve & Other Resistant Strains Of Bacilli

Waxgo

Eye/Ear Drops 10 ml.



Paradichlorobenzene 2.0% w/v
Benzocaine I.P. 2.7% w/v
Chlorbutol I.P. 5.0% w/v
Turpentine Oil B.P. 15% w/v
Butylated
Hydroxyanisole I.P. 0.05% w/v

Indications: Cerum Removal (wax)

T-Gent

Eye/Ear Drops 10 ml.



Gentamicin Sulphate I.P. 0.3% w/v

Indications:
Ear Infections, Otitis Externa, Chronic Otitis, Allergy & Inflammation Of Ear, tropical Treatment Of Infection Of The External Eye. Infections Include Conjunctivitis, Keratitis, Corneal Ulcers

T-Gent-B

Eye/Ear Drops 10 ml.




Gentamicin Sulphate I.P. 0.3% w/v
Betomethasone I.P. 0.2% w/v

Indications:
Ear Infections, Otitis Externa, Chronic Otitis, Allergy & Inflammation Of Ear, tropical Treatment Of Infection Of The External Eye. Infections Include Conjunctivitis, Keratitis, Corneal Ulcers

Evobiotec

Ear Drops 5 ml.



Clotrimazole I.P. 0.3% w/v
Lignocaine I.P. 0.2% w/v
Neomycin
Betamethasone

Indications:
Ear Infections, Otitis Externa, Chronic Otitis, Allergy & Inflammation Of Ear, tropical Treatment Of Infection Of The External Eye. Infections Include Conjunctivitis, Keratitis, Corneal Ulcers

Metacin

Eye/Ear Drops 10 ml.



Chloramphenicol I.P. 5% w/v
Beclomethasone Dipropionate 0.025% w/v
Clotrimazole I.P. 1% w/v
Lignocaine Hydrochloride I.P. 2% w/v

Indications:
Otitis Media, Fungal Infections Of Ear

Tobicon

Eye/Ear Drops 10 ml.




Tobramycin 0.3% w/v

Indications:
Ear Infections, Otitis Externa, Chronic Otitis, Allergy & Inflammation Of Ear, tropical Treatment Of Infection Of The External Eye. Infections Include Conjunctivitis, Keratitis, Corneal Ulcers

Tobicon D

Eye/Ear Drops 10 ml.



Tobramycin 0.3% w/v
Dexamethasone 0.1% w/v

Indications:
Ear Infections, Otitis Externa, Chronic Otitis, Allergy & Inflammation Of Ear, tropical Treatment Of Infection Of The External Eye. Infections Include Conjunctivitis, Keratitis, Corneal Ulcers



AYURVEDA



Ferito

3 x 10 Caps (Blister)

Each Capsule Contains:
 Ashoka (Saraca Indica) Ext. 100 mg.
 Kuktaandwak Bhasam AFL 80 mg.
 Lodh (Symplocos Racemosa) Ext. 80 mg.
 Godhanti Bhasam AFL 10 mg.
 Loh Bhasam AFL 20 mg.
 Pradrantak Loh. 20 mg.
 Gokshardi Guggal 40 mg.
 Pushyanug Churan 100 mg.
 Sphatika Bhasam AFL 50 mg.
 Excipients q.s.



Ferito

SYRUP 200 ml.

Each 10 ml. Contains:-

Ashoka	Saraca Asoka*	400 mg.
Lodhra	Symplocos Racemosa*	400 mg.
Ajowayan	Psychotria Ajowain*	250 mg.
Jalamansi	Nardostichya Jatamansi*	200 mg.
Anantmool	Hemidesmus Indicus*	200 mg.
Gokshur	Tribulus Terrestris*	200 mg.
Ashwagandha	Withania Somnifera*	100 mg.
Jyayanta	Putranjaya Rouboughi*	250 mg.
Muhali	Glycyrrhiza Glabara*	100 mg.
Daru Harida	Berberis Aristata*	200 mg.
Belgit	Aegle Marmelos*	200 mg.
Tripta	Terminalia Chebula*	300 mg.
	Emoxia Unchava* & Terminalia Beleric*	
	Cassia Fistula*	300 mg.
	Sugar	40 %
	Sod. Benzoate (as preservative)	0.5 %
	Flavoured Base	q.s.



Easy Me

3 x 10 Caps (Blister)

Each Capsule contains:
 Harar 20 mg.
 Behra 20 mg.
 Amla 20 mg.
 Surthi 20 mg.
 Nisoth 50 mg.
 Sanay Patti 50 mg.
 Badi Harar Chikka 50 mg.
 Inderyav 25 mg.
 Saunt 50 mg.
 Kala Dana 50 mg.
 Aloevera 30 mg.
 Gond 30 mg.



Nachural

100 gm. Powder

Laxative Powder
(Isabgol Husk)



Osoliv DS

200 ml. Syrup

Each 5ml. contains:

Punemava Boerhaaviadiffusa*	150 mg.
Bhringraj Eclipta Elba*	150 mg.
Giloy Tinspora Cordifolia*	50 mg.
Kalmegh Andrographis Paniculata*	50 mg.
Kuliki Picrorrhiza Kurroa*	50 mg.
Vidanga Embelia Ribes*	50 mg.
Tilla Terminalia Chebula*	150 mg.
Terminalia Beleric*	
Embilica Officialis*	
Shaipunkha Tephrosia Purpurea*	100 mg.
Tulsi Ocimum Sanctum*	30 mg.
Bhui Amla Phyllanthus Nirori*	50 mg.
Daru Harida Berberis Aristata*	50 mg.
Sugar Flavoured Base	q.s.



Osoliv

3 x 10 Caps (Blister)

Each capsule contains:

Boehaavia	60 mg.
Azadiracta Indica	30 mg.
Zingiber officinate	30 mg.
Picrohiza kurroa	30 mg.
Tinispora cordifolia	30 mg.
Cedrus deodara	30 mg.
Terminalia chebula	30 mg.
Berberis aristata	30 mg.
Phyllanthus niruri	30 mg.
Cichorium intybus	30 mg.
Eclipta alba	30 mg.
Tephrosia purpurea	30 mg.
Arogyavardhini ras	80 mg.



ANCHOL

Syrup 100 ml. A powerful cough fighter


expectorant
 anti-tussive
 herbal anti-oxidant
 cough remedy
 relieves sore throat



AYURVEDA

All Pure

50 Caps in Jar Pack



Each capsule contains:

Shudh gandhak (Purified Sulphar) mineral	200 mg.
Chop Chini (Smilax Corifolia) Rt	50 mg.
Manjistha (Rubia Corylifolia) Rt.	50 mg.
Kishor Guggal AFI	50 mg.
Bavachi (Psoralea Corylifolia) sd.	50 mg.
Chirayata (swertia Chirata) Pach.	50 mg.
Amla (Emblica Officialis) Ft.	50 mg.

Debtok

50 Caps in Jar Pack



Each capsule contains:

Bhumi Amalaki (Phyllanthus niruri) pach.	20 mg.
Medashringi (Gymnemasylvestre) Lv.	30 mg.
Chiryata (Swertia chirata) Pt.	50 mg.
Jambu seed (Eugenia jambolana) Sd.	100 mg.
Nimba (Melia azadirachta) Sd.	50 mg.
Bale leaf (Aegle marmelos) Ext.	50 mg.
Sudshilajit (Asphaltum) Ext.	100 mg.
Gudmar (Gymnemasylvestre) Ext.	100 mg.

Bpon H

50 Caps in Jar Pack



Each Capsule Contains:

Sarapagandha (Raufofolia serpentina) Rt.	50 mg.
Barhmi (Bacopa Monniera) Panc.	100 mg.
Jatamansi (Nardostachys jatmansii) Rhiz.	100 mg.
Shankhpushpi (Convolvulus Pluricaulis) Panc.	100 mg.
Arjuna (Terminalia Arjuna) Br.	50 mg.
Ashwagandha (Withania Somnifera) Rt.	50 mg.
Akik Bhasam AFI	25 mg.
Medhohar Guggulu AFI	25 mg.

Oslo DS

50 Caps in Jar Pack



Each capsule contains :

Punernava Mool (Boehavia Diffusa) ext.	100 mg.
Kutki (Picrorhiza Kurroa) ext.	100 mg.
Bhui Amla (Phyllanthus Niruri) ext.	100 mg.
Amla (Embolica Officialis) ext.	100 mg.
Bhringraj (Eclipta alba) ext.	50 mg.
Kalmegh (Andrographis Paniculata) ext.	50 mg.

Herbazyme

50 Caps in Jar Pack



Each capsule contains:-

Erand Beej (Ricinus Cummuins) Sd.	24 mg.
Shudh Kuchla (Nux Vomica) Ft.	10 mg.
Mandoor Bhasam (Mandoor Ash) Ash	24 mg.
Shankh Bhasam AFI	150 mg.
Shudh Hing (Ferula Narthex) Ext.	24 mg.
Sunthi (Zingiber Officinale) Rt.	90 mg.
Jeera (Cuminum Cyminum) Sd.	25 mg.
Kali Mirch (Black Pepper) Ft.	25 mg.
Shudh Gandhak (Sulphar purified) Min.	25 mg.
Bari Harar (Terminalia Chebula) Ft.	35 mg.
Chitrak Mool (Plumbago Zeylanica) Rt.	25 mg.
Bai Bidang (Embelia Ribes) Ft.	25 mg.
Processed in decoction of garlic paste and lemon juice	25 mg.

Gypsy

50 Caps in Jar Pack



Each capsule contains:-

Ashwagandha (Withania somnifera) Rt.	100 mg.
Shatavar (Asparagus racemosus) ML	60 mg.
Kaunch Beej (Mucuna puriens) Sd.	60 mg.
Shudh Shilajit (Asphaltum) Ext.	50 mg.
Gokshur (Tribulus terrestris) Ft.	30 mg.
Safed Musli (Asparagus adescendens) Rt.	30 mg.
Akarkara (Anacyclus pyrethrum) ML	25 mg.
Utangan (Blepharidesthis pers) Sd.	25 mg.
Lavang (Syzygium aromaticum) Pushpkalika	20 mg.
Jaiphal (Myristica fragrans) Ft.	20 mg.
Javitri (Myristica fragrans) Br.	20 mg.
Kanak Beej (Datura stramonium) Sd.	20 mg.
Shudh Kuchla (Nux vomica) Ft.	25 mg.
Shudh Bhilava (Semecarpus Anacardium) Ft.	20 mg.
Abharak Bhasam AFI.	20 mg.
Swaran Vang Bhasam AFI.	10 mg.
Loh Bhasam AFI.	20 mg.

TEZ
Liniment Oil



Expert Solution for Pain Relief

- *Rheumatoid Arthritis
- *Osteoarthritis
- *Spondylitis
- *Back Pain
- *Shoulder Pain
- *Sports Injury



Top-Heel

Cream 30 gm.



Each tube contains:
 Urea I.P. 10% w/w
 Lactic Acid I.P. 5% w/w
 Propylene Glycol I.P. 10% w/w
 Liquid Paraffin I.P. 10% w/w

Indications:
 Rough & Cracked Heels
 Helps In Minor Burns
 Effective Relief From Sore

Cedime

Ointment 15 gm.



Each tube contains:
 Povidone Iodine IP 5% w/w
 in a cream base q.s.

Indications:
 Minor Wounds
 Burns
 Cuts/Abrasions
 Skin Infections

Cedime-M

Ointment 15 gm.



Each tube contains:
 Povidone Iodine I.P. 5% w/w
 Metronidazole I.P. 1% w/w
 Dexapanthenol I.P. 5% w/w

Indications:
 Minor Wounds
 Burns
 Cuts/Abrasions
 Skin Infections
 Post-Operative Wounds

Cedime-S

Ointment 15 gm.



Each tube contains:
 Povidone Iodine IP 5% w/w
 Sucralfate USP 7% w/w
 in a cream base q.s.

Indications:
 Minor Wounds
 Burns
 Cuts/Abrasions
 Skin Infections

Olofen Gel

Gel 30 gm.



Each tube contains:
 Diclofenac 1.16%
 Methyl Salicylate 10%
 Oleum Lini 3%
 Menthol 5%
 Methylparaben 0.025%

Indications:
 Low Back Pain
 Sprain
 Joint Pain
 Muscular Pain

Clotex

Cream 20 gm.




Each tube contains:
 Clobetasol Propionate USP 0.05%
 Chlorocresol IP 0.1% w/w
 in a cream base q.s.

Indications:
 Eczema
 Psoriasis
 Intertrigo
 Dermatitis

Clincee A

Gel 15 gm.




Each tube contains:
 Clindamycin Phosphate IP
 eq. to Clindamycin 1.0% w/w
 Adapalene BP 0.1% w/w
 in a gel base q.s.

Indications:
 Semi-synthetic antibiotic.
 Effective against P. Acne.
 Is effective in the treatment of moderate to severe facial once vulgaris.

Clincee N

Gel 15 gm.



Each tube contains:
 Clindamycin Phosphate IP
 eq. to Clindamycin 1.0% w/w
 Nicotinamide IP 4% w/w
 in a gel base q.s.

Indications:
 Semi-synthetic antibiotic.
 Effective against P. Acne.
 Is effective in the treatment of moderate to severe facial once vulgaris.

CREAMS

Ivy Plus

Cream 20 gm.



Each tube contains:
Hydroquinone 2% w/w
Mometasone 0.1% w/w
Tretinoin 0.025% w/w

Indications:
Tapeworm Infections
Neurocysticercosis
Hydatid Disease
Mixed Helminthic Infestations

Proxil-GM

Cream 15 gm.



Each tube contains:
Clobetasol I.P. 0.05% w/w
Miconazole Nitrate I.P. 2.0% w/w
Neomycin Sulphate I.P. 0.50% w/w
Chlorhexidine Gluconate Solution I.P. 0.20% w/w
Chlorocresol I.P. 0.10% w/w

Indications:
Eczema
Psoriasis
Intertrigo
Dermatitis

Fudin

Cream 10 gm.



Each tube contains:
Fusidic Acid 2% w/w
In a cream base q.s.

Indications:
Folliculitis, Furuncle, Carbuncle
Impetigo & Cellulitis
Bacterial Dermatitis

Averin

Gel 15 gm.



Each tube contains:
Choline Salicylate 8.07%
Lignocaine HCL 2%
Benzalkonium Chloride 0.01%
Menthol 0.05%

Indications:
Pain Relief For Mouth Ulcers

No more unwanted

Stretch marks

Topstreich

the stretch marks minimizing butter (135 ml.)

Stretch
Marks
Cream



Intensive Stretch Marks Therapy
with Vit E, Collagen & Elastin





SOFT GELATIN

Multiplus Advanced

3 x 10 Softgel Cap (Blister)



Each soft capsule contains:

Ginseng Extract Powder	42.5mg
Vit. A	2500 I.U.
Bt. B1	1mg
Vit. B2	1.5mg
Vit. B3	10mg
Vit. B5	5mg
Vit. B6	1mg
Vit. B12	1mcg
Vit. C	50mg
Vit. D3	2000 I.U.
Vit. E	5mg
Folic Acid	0.15mg
Calcium	75mg
Phosphorus	58mg
Ferrous Fumarate	30mg
Zinc	10mg
Magnesium	3mg
Potassium	2mg
Manganese	0.5mg
Copper	0.5mg
Iodine	0.1mg

Multiplus Ortho

3 x 10 Softgel Cap (Blister)



Each soft capsule contains:

Cissus Quadrangularis	750 mg.
Withania Somnifera Extract	100 mg.
Moringa Oleifera	100 mg.
Rose Hip Extract	50 mg.

Multiplus Men

3 x 10 Softgel (Blister)



Each soft capsule contains:

Ginseng extract powder	42.5 mg.
Vitamin A	2500 I.U.
Vitamin B1	1 mg.
Vitamin B2	1.5 mg.
Vitamin B3	10 mg.
Vitamin B5	5 mg.
Vitamin B6	1 mg.
Vitamin B12	1 mcg.
Vitamin C	50 mg.
Vitamin D3	2000 I.U.
Vitamin E	5 mg.
Folic Acid	0.15 mg.
Calcium	75 mg.
Phosphorus	58 mg.
Ferrous Fumarate	30 mg.
Zinc	10 mg.
Magnesium	3 mg.
Potassium	2 mg.
Manganese	0.5 mg.
Copper	0.5 mg.
Iodine	0.1 mg.

Multiplus Women

3 x 10 Softgel (Blister)



Each soft capsule contains:

L-Arginine	100 mg.
Grape Seed Extract	25 mg.
Lycopene 6%	2 mg.
Lutein 8%	3 mg.
Vitamin A Palmitate	5000 I.U.
Vitamin B1	5 mg.
Vitamin B2	5 mg.
Vitamin B6	1.5 mg.
Vitamin B12	15 mcg.
Folic Acid	1.5 mg.
Zinc Sulphate Monohydrate	23 mg.
Selenium Dioxide	75 mcg.

TNT D3

10 x 1 x 10 Softgel (Blister)



Each soft capsule contains:

Cholecalciferol (Vit. D3)	60000 I.U.
---------------------------	------------

TNT Garlic Oil

10 x 1 x 10 Softgel (Blister)



Each soft capsule contains:

Garlic Oil	0.5% w/w
------------	----------

Calway C

10 x 1 x 10 Softgel (Blister)



Each soft capsule contains:

Calcitriol	0.25 mg.
Calcium Carbonate	500 mg.
Zinc Sulphate	7.5 mg.

Highland

10 x 1 x 10 Softgel (Blister)




Each soft capsule contains:

Omega-3 Fatty Acids Providing Docosahexanoic (DHA)	60 mg.
Eicosapentaenoic (EPA)	90 mg.
L-Glutathione	2 mg.
Green Tea Extract	10 mg.
Ginkgo Biloba	10 mg.
Ginseng Extract	42.5 mg.
Grape Seed Extract	15 mg.
Garlic Extract	20 mg.
Lutein	250 mcg.
Wheat Germ Oil	25 mg.

SOFT GELATIN

Hyto Carbo

10 x 10 Softgel Cap



Each soft capsule contains:
Beta Carotene 30% 30 mg.

Tree Tone


10 x 1 x 10 Softgel (Blister)



Each soft capsule contains:
Isotretinoin 20 mg.

Proton NP 100

10 x 10 Softgel (Blister)



Each soft capsule contains:
Natural Micronised Progesterone 100 mg.

Proton NP 200

10 x 10 Softgel (Blister)



Each soft capsule contains:
Natural Micronised Progesterone 200 mg.

E Gen

10 x 1 x 15 Softgel (Blister)



Each soft capsule contains:
Vitamin E 4000 I.U.
Wheat Germ Oil 100 mg.
Omega-3 Fatty Acids 30 mg.

Lantic 5000


3 x 10 Softgel (Blister)



Each soft capsule contains:
Lycopene 10% 5000 mcg.
Lutein 8% 2000 mcg.
Betacarotene 10% 5.17 mg.
Zinc Sulphate 27.45 mg.
Selenium Dioxide 70 mcg.
Grape Seed Extract 10 mg.

Life Q10

10 x 1 x 10 Softgel (Blister)



Each soft capsule contains:
Co-Enzyme Q10
Omega-3 Fatty Acid
Alpha Lipoic Acid
Vitamin E

Indications:
As an Adjunct Therapy to Anti-T.B. Drugs
Anti Cancer Drugs
Anti Diabetic Drugs

QLC 10

10 x 1 x 10 Softgel (Blister)




Each soft capsule contains:
Co-Enzyme Q10 100 mg.
L-Arginine 100 mg.
Selenium 70 mcg.
EPA 90 mg.
DHA 60 mg.



POWDERS AND OTC

Dexter-C

105 gm.



Energy Drink (Orange Flavour)
Each 35g contains:
 Dextrose Anhydrous 17.5 g.
 Sucrose 14.0 g.
 Zinc Sulphate Heptahydrate 32.5 mg.

Indications:
 Loss Of Vitamins And Essential Minerals In Ageing And Lactating Women.

Xing Women

200 gm.



Protein Powder for Women

Indications:
 Loss Of Vitamins And Essential Minerals In Ageing And Lactating Women.

Xing

200 gm.



Protein Powder

Indications:
 Loss Of Vitamins And Essential Minerals.

TNT D3

Sachet 1gm.



Each Sachet contains:
 Cholecalciferol 60000 I.U.
 Vit.D3

Indications:
 Vitamin D Deficiency.

Meco LA

Sachet 5 gm.




Each sachet contains:
 L-Arginine 3 mg.
 Methylcobalmin 1500 mcg.
 Folic Acid 0.5 mg.
 Zinc 10 mg.

Indications:
 During And After Pregnancy
 Energy Loss And Fatigue.

Prebio

Sachet 1 gm.



Each sachet contains:
 Prebiotic
 Probiotic
 Zinc Sulphate

Indications:
 For intestinal immunity.

Satin

100 ml.



Low pH ultra sensitive hygiene wash.

Indications:
 To Restore Hygiene Of Feminine Intimate Areas.

Breo Shampoo

200 ml.



Everyday use hair fall control shampoo.

Indications:
 Hair Loss And Dandruff.

Faster
Recovery
in
Nerve
Disorders

Myco



Myco 1000

50 x 2 ml. Ampoule

Each ampule contains:
Methylcobalamin 1000 mcg.



Myco 1500

50 x 2 ml. Ampoule

Each ampule contains:
Methylcobalamin 1500 mcg.



Myco Plus

Dispo Pack

Each ampule contains:
Methylcobalamin J.P 1000 mcg.
Nicotinamide I.P 100 mg.
Pyridoxine HCL I.P 100 mg.



Your Care In Safe Hands



www.tntlife.in

TNT LIFE

Dwarka Appartments, 6th Floor,
Boriwali East. Mumbai. 400066

North Operations:

110, Industrial Area. Phase-II,
Panchkula (Haryana).

South Operations:

No 13 A, Jegenathan Nagar,
Arumbakkam, Chennai
600106

Manufacturing Unit:

TNT LIFE, Deothi, Solan
Himachal Pradesh.

I.C.O. 976, Jordon Cres,
Edmonton, AB, CANADA.